



Schedule of Network Use of System Tariffs

Effective 1 January 2020
NOTE: ALL PRICES EXCLUSIVE OF GST



Tariff Code	Tariff Structure	Description	Closed to New Entrants	Standing Charge \$/Year	Block 1 c/kWh	Block 2 c/kWh	Peak c/kWh	Shoulder All Year c/kWh	Summer Peak c/kWh	Summer Shoulder c/kWh	Winter Peak c/kWh	Off Peak c/kWh	Dedicated Circuit c/kWh	Summer Export c/kWh	Feed In Rates c/kWh	Capacity \$/kVA/Year	Critical Peak Demand \$/kVA/Year	Monthly Peak kW Demand \$/kW/Mth	Monthly Off Peak kW Demand \$/kW/Mth
Residential																			
NEE11	1	Small Single Rate	No	118.00	11.3645	13.0839													
NASN11	15	Small Residential Single Rate	No	118.00	8.1356	8.1356												9.66	2.41
NASN11P	15	Small Residential Single Rate Premium Feed In	Yes	118.00	8.1356	8.1356								-0.5975	-60.0000			9.66	2.41
NASN11S	15	Small Residential Single Rate Standard Feed In	No	118.00	8.1356	8.1356								-0.5975				9.66	2.41
NEN11	1	Small Single Rate within Embedded Network	No	118.00	7.9752	8.5070													
NGT11	6	Small Flexible Single Rate	No	118.00	14.2897														
NEE13	1 & 9	Small Single Rate & Dedicated Circuit	Yes	118.00	11.3645	13.0839							4.1520						
NEN13	1 & 9	Small Single Rate & Dedicated Circuit within Embedded Network	Yes	118.00	7.9752	8.5070							4.1520						
NGT13	6 & 9	Small Flexible Single Rate & Dedicated Circuit	Yes	118.00	14.2897								4.1520						
NEE14	1 & 10	Small Single Rate & Dedicated Circuit with Afternoon Boost	Yes	118.00	11.3645	13.0839							4.1520						
NEN14	1 & 10	Small Single Rate & Dedicated Circuit with Afternoon Boost within Embedded Network	Yes	118.00	7.9752	8.5070							4.1520						
NGT14	6 & 10	Small Flexible Single Rate & Dedicated Circuit with Afternoon Boost	Yes	118.00	14.2897								4.1520						
NEE15	1 & 11	Small Single Rate & Dedicated Circuit 8:00 to 8:00	Yes	118.00	11.3645	13.0839							4.1520						
NEN15	1 & 11	Small Single Rate & Dedicated Circuit 8:00 to 8:00 within Embedded Network	Yes	118.00	7.9752	8.5070							4.1520						
NGT15	6 & 11	Small Flexible Single Rate & Dedicated Circuit 8:00 to 8:00	Yes	118.00	14.2897								4.1520						
NEE20	3	Small Two Rate	No	118.00			19.5846					4.1607							
NEN20	3	Small Two Rate within Embedded Network	No	118.00			12.6758					4.3299							
NSP20	7	Small Interval Meter Time of Use	No	118.00					41.5072	36.6459	32.3973	4.3559							
NEE23	3	Small Two Rate Solar Installation Standard Feed In Pre December 2012	Yes	130.00			19.5846					4.1607		-0.5975					
NEE26	3	Small Two Rate Solar Installation Standard Feed In Post January 2013	No	130.00			19.5846					4.1607		-0.5975					
SUN23	3	Small Two Rate Solar Installation Premium Feed In	Yes	130.00			19.5846					4.1607		-0.5975	-60.0000				
NSP23	7	Small Interval Meter Time of Use Solar Installation Standard Feed In	No	130.00					41.5072	36.6459	32.3973	4.3559		-0.5975					
SSP23	7	Small Interval Meter Time of Use Solar Installation Premium Feed In	Yes	130.00					41.5072	36.6459	32.3973	4.3559		-0.5975	-60.0000				
NEE24	4	Small Two Rate 8:00 to 8:00	No	118.00			9.9348					4.1248							
NGT26	8	Small Flexible	No	118.00	14.8340	14.8340		11.5662				4.3576							
NGT23	8 & 9	Small Flexible & Dedicated Circuit	Yes	118.00	14.8340	14.8340		11.5662				4.3576	4.1520						
NGT24	8 & 10	Small Flexible & Dedicated Circuit with Afternoon Boost	Yes	118.00	14.8340	14.8340		11.5662				4.3576	4.1520						
NGT25	8 & 11	Small Flexible & Dedicated Circuit 8:00 to 8:00	Yes	118.00	14.8340	14.8340		11.5662				4.3576	4.1520						
NEE30	9	Small Dedicated Circuit	Yes										4.1520						
NSP30	9	Small Interval Dedicated Circuit	Yes										4.1520						
NEE31	10	Small Dedicated Circuit with Afternoon Boost	Yes										4.1520						
NSP31	10	Small Interval Meter Dedicated Circuit with Afternoon Boost	Yes										4.1520						
NEE32	11	Small Dedicated Circuit 8:00 to 8:00	Yes										4.1520						
NSP32	11	Small Interval Meter Dedicated Circuit 8:00 to 8:00	Yes										4.1520						

- Notes**
- To be read in conjunction with section 10.5 Tariff structure and charging parameters, and section 10.6 Minimum metering requirements.
 - New entrants cannot be assigned to a Closed to New Entrants tariff. An existing site may be allowed to be assigned to a closed tariff where the existing tariff has the same meter requirements and tariff structure as the tariff they are moving to.
 - Prices in Ex GST.



Schedule of Network Use of System Tariffs

Effective 1 January 2020
NOTE: ALL PRICES EXCLUSIVE OF GST



Tariff Code	Tariff Structure	Description	Closed to New Entrants	Standing Charge \$/Year	Block 1 c/kWh	Block 2 c/kWh	Peak c/kWh	Shoulder All Year c/kWh	Summer Peak c/kWh	Summer Shoulder c/kWh	Winter Peak c/kWh	Off Peak c/kWh	Dedicated Circuit c/kWh	Summer Export c/kWh	Feed In Rates c/kWh	Capacity \$/kVA/Year	Critical Peak Demand \$/kVA/Year	Monthly Peak kW Demand \$/kW/Mth	Monthly Off Peak kW Demand \$/kW/Mth
Business																			
NEE12	1	Small Single Rate	No	118.00	15.1919	18.5159													
NASN12	15	Small Business Single Rate	No	118.00	13.9741	13.9741												9.66	2.41
NASN12P	15	Small Business Single Rate Premium Feed In	Yes	118.00	13.9741	13.9741								-0.5975	-60.0000			9.66	2.41
NASN12S	15	Small Business Single Rate Standard Feed In	No	118.00	13.9741	13.9741								-0.5975				9.66	2.41
NASN19	15	Business >40MWh Single Rate	No	118.00	16.6269	16.6269												5.80	1.45
NEN12	1	Small Single Rate within Embedded Network	No	118.00	20.9113	23.9152													
NEE16	1 & 9	Small Single Rate & Dedicated Circuit	Yes	118.00	15.1919	18.5159							4.1520						
NEN16	1 & 9	Small Single Rate & Dedicated Circuit within Embedded Network	Yes	118.00	20.9113	23.9152							4.1520						
NEE17	1 & 10	Small Single Rate & Dedicated Circuit with Afternoon Boost	Yes	118.00	15.1919	18.5159							4.1520						
NEN17	1 & 10	Small Single Rate & Dedicated Circuit with Afternoon Boost within Embedded Network	Yes	118.00	20.9113	23.9152							4.1520						
NEE18	1 & 11	Small Single Rate & Dedicated Circuit 8:00 to 8:00	Yes	118.00	15.1919	18.5159							4.1520						
NEN18	1 & 11	Small Single Rate & Dedicated Circuit 8:00 to 8:00 within Embedded Network	Yes	118.00	20.9113	23.9152							4.1520						
NEE21	3	Small Two Rate	No	118.00			18.8563					4.4043							
NEN21	3	Small Two Rate within Embedded Network	No	118.00			13.8902					6.1795							
NSP21	7	Small Interval Meter Time of Use	No	118.00					41.5072	36.6459	32.3973	4.3559							
NASN21	2	Business >40MWh Two Rate	No	118.00			17.0093					4.1517						5.80	1.45
NASN2P	2	Business >40MWh Two Rate Premium Feed In	Yes	118.00			17.0093					4.1517		-0.5975	-60.0000			5.80	1.45
NASN2S	2	Business >40MWh Two Rate Standard Feed In	No	118.00			17.0093					4.1517		-0.5975				5.80	1.45
SUN21	3	Small Two Rate Solar Installation Premium Feed In	Yes	118.00			18.8563					4.4043		-0.5975	-60.0000				
SSP21	7	Small Interval Meter Time of Use Solar Installation Premium Feed In	Yes	118.00					24.5878	21.8752	19.5059	7.0728		-0.5975	-60.0000				
SSP27	7	Small Interval Meter Time of Use Solar Installation Standard Feed In	No	118.00					24.5878	21.8752	19.5059	7.0728		-0.5975					
NEE27	3	Small Two Rate Solar Installation Standard Feed In Pre December 2012	Yes	118.00			18.8563					4.4043		-0.5975					
NEE28	3	Small Two Rate Solar Installation Standard Feed In Post January 2013	No	118.00			18.8563					4.4043		-0.5975					
NSP27	7	Small Interval Meter Low Peak Time of Use	No	118.00					24.5878	21.8752	19.5059	7.0728							
NEE25	4	Small Two Rate 8:00 to 8:00	No	118.00			17.9882					4.2448							
NEE40	6	Medium Single Rate	Yes	118.00	25.3436														
NEE41	6 & 9	Medium Single Rate & Dedicated Circuit	Yes	118.00	25.3436								4.1520						
NEE42	6 & 10	Medium Single Rate & Dedicated Circuit with Afternoon Boost	Yes	118.00	25.3436								4.1520						
NEE43	6 & 11	Medium Single Rate & Dedicated Circuit 8:00 to 8:00	Yes	118.00	25.3436								4.1520						
NEE51	3	Medium Two Rate	Yes	118.00			22.2525					5.1991							
NEE52	3	Medium Unmetered	No				19.5010					9.6039							
NEE55	12	Medium Snowfields	No	342.00			16.6964					4.6678							
NSP55	7	Medium Interval Meter Time of Use Snowfields	No	342.00					41.1420	36.2568	31.9874	2.9404							
NSP56	13	Medium Critical Peak Demand 160MWh to 400MWh	No	2,811.00			13.1978	10.1666				4.3812				19.39	32.32		
NEN56	13	Medium Critical Peak Demand 160MWh to 400MWh within Embedded Network	No	2,811.00			11.0282	8.3072				4.4638				19.39	32.32		
NEE60	5	Medium Seven Day Two Rate	Yes	342.00			12.2217					4.5274							
NEE74	3	Large Two Rate	Yes	403.00			27.2288					7.7251							
NSP75	13	Large Critical Peak Demand 400MWh to 750MWh	No	5,962.00			5.2916	4.2463				1.8246				47.11	79.01		
NSP76	13	Large Critical Peak Demand 750MWh to 2000MWh	No	5,962.00			5.0465	4.0136				1.6853				49.12	83.07		
NSP77	13	Large Critical Peak Demand 2000MWh to 4000MWh	No	5,962.00			4.9873	3.9874				1.6208				53.85	89.39		
NSP78	13	Large Critical Peak Demand over 4000MWh	No	5,962.00			4.6749	3.7823				1.4778				59.24	98.01		
NSP81	14	High Voltage Critical Peak Demand	No	5,962.00			2.6215					0.8030				38.77	63.54		
NSP82	13	High Voltage Critical Peak Demand Traction	No	5,962.00			2.5636	2.5636				1.0096				35.54	58.16		
NSP83	13	High Voltage Critical Peak Demand low energy use	No	5,962.00			11.7009	5.4267				1.6233				4.14	6.84		
NSP91	14	Sub transmission Critical Peak Demand <25MVA & <20KM from TS	No	20,580.00			2.5685					0.6204				2.59	4.27		
NSP94	14	Sub transmission Critical Peak Demand >25MVA & <20KM from TS	No	20,580.00			2.5322					0.6026				1.93	3.21		
NSP95	14	Sub transmission Critical Peak Demand <25MVA & >20KM from TS	No	20,580.00			2.6096					0.6421				4.01	6.66		

AusNet Services Electricity Pty Ltd ABN 91 064 651 118
 A subsidiary of AusNet Services Networks (Distribution) Pty Ltd
 Level 31, 2 Southbank Blvd, Southbank, Victoria, 3006 Australia Locked Bag 14051 Melbourne City Mail Centre Victoria 8001 Australia
 Tel 61 3 9695 6000 Fax 6 13 9695 6666 www.ausnetservices.com.au



Schedule of Distribution Use of System Tariffs

Effective 1 January 2020
NOTE: ALL PRICES EXCLUSIVE OF GST



Tariff Code	Tariff Structure	Description	Closed to New Entrants	Standing Charge \$/Year	Block 1 c/kWh	Block 2 c/kWh	Peak c/kWh	Shoulder All Year c/kWh	Summer Peak c/kWh	Summer Shoulder c/kWh	Winter Peak c/kWh	Off Peak c/kWh	Dedicated Circuit c/kWh	Summer Export c/kWh	Feed In Rates c/kWh	Capacity \$/kVA/Year	Critical Peak Demand \$/kVA/Year	Monthly Peak kW Demand \$/kW/Mth	Monthly Off Peak kW Demand \$/kW/Mth
Residential																			
NEE11	1	Small Single Rate	No	118.00	8.7595	10.4789													
NASN11	15	Small Residential Single Rate	No	118.00	5.5306	5.5306												9.66	2.41
NASN11P	15	Small Residential Single Rate Premium Feed In	Yes	118.00	5.5306	5.5306								-0.5975	-60.0000			9.66	2.41
NASN11S	15	Small Residential Single Rate Standard Feed In	No	118.00	5.5306	5.5306								-0.5975				9.66	2.41
NEN11	1	Small Single Rate within Embedded Network	No	118.00	5.3702	5.9020													
NGT11	6	Small Flexible Single Rate	No	118.00	11.6847														
NEE13	1 & 9	Small Single Rate & Dedicated Circuit	Yes	118.00	8.7595	10.4789							3.1141						
NEN13	1 & 9	Small Single Rate & Dedicated Circuit within Embedded Network	Yes	118.00	5.3702	5.9020							3.1141						
NGT13	6 & 9	Small Flexible Single Rate & Dedicated Circuit	Yes	118.00	11.6847								3.1141						
NEE14	1 & 10	Small Single Rate & Dedicated Circuit with Afternoon Boost	Yes	118.00	8.7595	10.4789							3.1141						
NEN14	1 & 10	Small Single Rate & Dedicated Circuit with Afternoon Boost within Embedded Network	Yes	118.00	5.3702	5.9020							3.1141						
NGT14	6 & 10	Small Flexible Single Rate & Dedicated Circuit with Afternoon Boost	Yes	118.00	11.6847								3.1141						
NEE15	1 & 11	Small Single Rate & Dedicated Circuit 8:00 to 8:00	Yes	118.00	8.7595	10.4789							3.1141						
NEN15	1 & 11	Small Single Rate & Dedicated Circuit 8:00 to 8:00 within Embedded Network	Yes	118.00	5.3702	5.9020							3.1141						
NGT15	6 & 11	Small Flexible Single Rate & Dedicated Circuit 8:00 to 8:00	Yes	118.00	11.6847								3.1141						
NEE20	3	Small Two Rate	No	118.00			16.9796					3.1228							
NEN20	3	Small Two Rate within Embedded Network	No	118.00			10.0708					3.2920							
NSP20	7	Small Interval Meter Time of Use	No	118.00					38.9022	34.0409	29.7923	3.3180							
NEE23	3	Small Two Rate Solar Installation Standard Feed In Pre December 2012	Yes	130.00			16.9796					3.1228		-0.5975					
NEE26	3	Small Two Rate Solar Installation Standard Feed In Post January 2013	No	130.00			16.9796					3.1228		-0.5975					
SUN23	3	Small Two Rate Solar Installation Premium Feed In	Yes	130.00			16.9796					3.1228		-0.5975	-60.0000				
NSP23	7	Small Interval Meter Time of Use Solar Installation Standard Feed In	No	130.00					38.9022	34.0409	29.7923	3.3180		-0.5975					
SSP23	7	Small Interval Meter Time of Use Solar Installation Premium Feed In	Yes	130.00					38.9022	34.0409	29.7923	3.3180		-0.5975	-60.0000				
NEE24	4	Small Two Rate 8:00 to 8:00	No	118.00			7.3298					3.0869							
NGT26	8	Small Flexible	No	118.00	12.2290	12.2290		8.9612				3.3197							
NGT23	8 & 9	Small Flexible & Dedicated Circuit	Yes	118.00	12.2290	12.2290		8.9612				3.3197	3.1141						
NGT24	8 & 10	Small Flexible & Dedicated Circuit with Afternoon Boost	Yes	118.00	12.2290	12.2290		8.9612				3.3197	3.1141						
NGT25	8 & 11	Small Flexible & Dedicated Circuit 8:00 to 8:00	Yes	118.00	12.2290	12.2290		8.9612				3.3197	3.1141						
NEE30	9	Small Dedicated Circuit	Yes										3.1141						
NSP30	9	Small Interval Dedicated Circuit	Yes										3.1141						
NEE31	10	Small Dedicated Circuit with Afternoon Boost	Yes										3.1141						
NSP31	10	Small Interval Meter Dedicated Circuit with Afternoon Boost	Yes										3.1141						
NEE32	11	Small Dedicated Circuit 8:00 to 8:00	Yes										3.1141						
NSP32	11	Small Interval Meter Dedicated Circuit 8:00 to 8:00	Yes										3.1141						

Notes

1. To be read in conjunction with section 10.5 Tariff structure and charging parameters, and section 10.6 Minimum metering requirements.
2. New entrants cannot be assigned to a Closed to New Entrants tariff. An existing site may be allowed to be assigned to a closed tariff where the existing tariff has the same meter requirements and tariff structure as the tariff they are moving to.
3. Prices in Ex GST.

AusNet Services Electricity Pty Ltd ABN 91 064 651 118
A subsidiary of AusNet Services Networks (Distribution) Pty Ltd
Level 31, 2 Southbank Blvd, Southbank, Victoria, 3006 Australia Locked Bag 14051 Melbourne City Mail Centre Victoria 8001 Australia
Tel 61 3 9695 6000 Fax 6 13 9695 6666 www.ausnetservices.com.au



Schedule of Distribution Use of System Tariffs

Effective 1 January 2020
NOTE: ALL PRICES EXCLUSIVE OF GST



Tariff Code	Tariff Structure	Description	Closed to New Entrants	Standing Charge \$/Year	Block 1 c/kWh	Block 2 c/kWh	Peak c/kWh	Shoulder All Year c/kWh	Summer Peak c/kWh	Summer Shoulder c/kWh	Winter Peak c/kWh	Off Peak c/kWh	Dedicated Circuit c/kWh	Summer Export c/kWh	Feed In Rates c/kWh	Capacity \$/kVA/Year	Critical Peak Demand \$/kVA/Year	Monthly Peak kW Demand \$/kW/Mth	Monthly Off Peak kW Demand \$/kW/Mth
Business																			
NEE12	1	Small Single Rate	No	118.00	12.5869	15.9109													
NASN12	15	Small Business Single Rate	No	118.00	11.3691	11.3691												9.66	2.41
NASN12P	15	Small Business Single Rate Premium Feed In	Yes	118.00	11.3691	11.3691								-0.5975	-60.0000			9.66	2.41
NASN12S	15	Small Business Single Rate Standard Feed In	No	118.00	11.3691	11.3691								-0.5975				9.66	2.41
NASN19	15	Business >40MWh Single Rate	No	118.00	14.0219	14.0219												5.80	1.45
NEN12	1	Small Single Rate within Embedded Network	No	118.00	18.3063	21.3102													
NEE16	1 & 9	Small Single Rate & Dedicated Circuit	Yes	118.00	12.5869	15.9109							3.1141						
NEN16	1 & 9	Small Single Rate & Dedicated Circuit within Embedded Network	Yes	118.00	18.3063	21.3102							3.1141						
NEE17	1 & 10	Small Single Rate & Dedicated Circuit with Afternoon Boost	Yes	118.00	12.5869	15.9109							3.1141						
NEN17	1 & 10	Small Single Rate & Dedicated Circuit with Afternoon Boost within Embedded Network	Yes	118.00	18.3063	21.3102							3.1141						
NEE18	1 & 11	Small Single Rate & Dedicated Circuit 8:00 to 8:00	Yes	118.00	12.5869	15.9109							3.1141						
NEN18	1 & 11	Small Single Rate & Dedicated Circuit 8:00 to 8:00 within Embedded Network	Yes	118.00	18.3063	21.3102							3.1141						
NEE21	3	Small Two Rate	No	118.00			16.2513					3.3664							
NEN21	3	Small Two Rate within Embedded Network	No	118.00			11.2852					5.1416							
NSP21	7	Small Interval Meter Time of Use	No	118.00					38.9022	34.0409	29.7923	3.3180							
NASN21	2	Business >40MWh Two Rate	No	118.00			14.4043					3.1138						5.80	1.45
NASN2P	2	Business >40MWh Two Rate Premium Feed In	Yes	118.00			14.4043					3.1138		-0.5975	-60.0000			5.80	1.45
NASN2S	2	Business >40MWh Two Rate Standard Feed In	No	118.00			14.4043					3.1138		-0.5975	-60.0000			5.80	1.45
SUN21	3	Small Two Rate Solar Installation Premium Feed In	Yes	118.00			16.2513					3.3664		-0.5975	-60.0000				
SSP21	7	Small Interval Meter Time of Use Solar Installation Premium Feed In	Yes	118.00					21.9828	19.2702	16.9009	6.0349		-0.5975	-60.0000				
SSP27	7	Small Interval Meter Time of Use Solar Installation Standard Feed In	No	118.00					21.9828	19.2702	16.9009	6.0349		-0.5975	-60.0000				
NEE27	3	Small Two Rate Solar Installation Standard Feed In Pre December 2012	Yes	118.00			16.2513					3.3664		-0.5975	-60.0000				
NEE28	3	Small Two Rate Solar Installation Standard Feed In Post January 2013	No	118.00			16.2513					3.3664		-0.5975	-60.0000				
NSP27	7	Small Interval Meter Low Peak Time of Use	No	118.00					21.9828	19.2702	16.9009	6.0349							
NEE25	4	Small Two Rate 8:00 to 8:00	No	118.00			15.3832					3.2069							
NEE40	6	Medium Single Rate	Yes	118.00	22.7386														
NEE41	6 & 9	Medium Single Rate & Dedicated Circuit	Yes	118.00	22.7386								3.1141						
NEE42	6 & 10	Medium Single Rate & Dedicated Circuit with Afternoon Boost	Yes	118.00	22.7386								3.1141						
NEE43	6 & 11	Medium Single Rate & Dedicated Circuit 8:00 to 8:00	Yes	118.00	22.7386								3.1141						
NEE51	3	Medium Two Rate	Yes	118.00			19.6475					4.1612							
NEE52	3	Medium Unmetered	No				16.8960					8.5660							
NEE55	12	Medium Snowfields	No	118.00			14.6469					4.0962							
NSP55	7	Medium Interval Meter Time of Use Snowfields	No	118.00					39.0925	34.2073	29.9379	2.3688							
NSP56	13	Medium Critical Peak Demand 160MWh to 400MWh	No	2,550.00			11.1483	8.1171				3.8096				19.39	32.32		
NEN56	13	Medium Critical Peak Demand 160MWh to 400MWh within Embedded Network	No	2,550.00			8.9787	6.2577				3.8922				19.39	32.32		
NEE60	5	Medium Seven Day Two Rate	Yes	118.00			10.1722					3.9558							
NEE74	3	Large Two Rate	Yes	142.00			25.1793					7.1535							
NSP75	13	Large Critical Peak Demand 400MWh to 750MWh	No	5,701.00			3.2421	2.1968				1.2530				47.11	79.01		
NSP76	13	Large Critical Peak Demand 750MWh to 2000MWh	No	5,701.00			2.9970	1.9641				1.1137				49.12	83.07		
NSP77	13	Large Critical Peak Demand 2000MWh to 4000MWh	No	5,701.00			2.9378	1.9379				1.0492				53.85	89.39		
NSP78	13	Large Critical Peak Demand over 4000MWh	No	5,701.00			2.6254	1.7328				0.9062				59.24	98.01		
NSP81	14	High Voltage Critical Peak Demand	No	5,701.00			0.5720					0.2314				38.77	63.54		
NSP82	13	High Voltage Critical Peak Demand Traction	No	5,701.00			0.5141	0.5141				0.4380				35.54	58.16		
NSP83	13	High Voltage Critical Peak Demand low energy use	No	5,701.00			9.6514	3.3772				1.0517				4.14	6.84		
NSP91	14	Sub transmission Critical Peak Demand <25MVA & <20KM from TS	No	20,319.00			0.5190					0.0488				2.59	4.27		
NSP94	14	Sub transmission Critical Peak Demand >25MVA & <20KM from TS	No	20,319.00			0.4827					0.0310				1.93	3.21		
NSP95	14	Sub transmission Critical Peak Demand <25MVA & >20KM from TS	No	20,319.00			0.5601					0.0705				4.01	6.66		

AusNet Services Electricity Pty Ltd ABN 91 064 651 118
 A subsidiary of AusNet Services Networks (Distribution) Pty Ltd
 Level 31, 2 Southbank Blvd, Southbank, Victoria, 3006 Australia Locked Bag 14051 Melbourne City Mail Centre Victoria 8001 Australia
 Tel 61 3 9695 6000 Fax 6 13 9695 6666 www.ausnetservices.com.au

Schedule of Transmission Use of System Tariffs

Effective 1 January 2020
NOTE: ALL PRICES EXCLUSIVE OF GST



Tariff Code	Tariff Structure	Description	Closed to New Entrants	Standing Charge \$/Year	Block 1 c/kWh	Block 2 c/kWh	Peak c/kWh	Shoulder All Year c/kWh	Summer Peak c/kWh	Summer Shoulder c/kWh	Winter Peak c/kWh	Off Peak c/kWh	Dedicated Circuit c/kWh	Summer Export c/kWh	Feed In Rates c/kWh	Capacity \$/kVA/Year	Critical Peak Demand \$/kVA/Year	Monthly Peak kW Demand \$/kW/Mth	Monthly Off Peak kW Demand \$/kW/Mth
Residential																			
NEE11	1	Small Single Rate	No		2.0495	2.0495													
NASN11	15	Small Residential Single Rate	No		2.0495	2.0495													
NASN11P	15	Small Residential Single Rate Premium Feed In	Yes		2.0495	2.0495													
NASN11S	15	Small Residential Single Rate Standard Feed In	No		2.0495	2.0495													
NEN11	1	Small Single Rate within Embedded Network	No		2.0495	2.0495													
NGT11	6	Small Flexible Single Rate	No		2.0495														
NEE13	1 & 9	Small Single Rate & Dedicated Circuit	Yes		2.0495	2.0495							0.5716						
NEN13	1 & 9	Small Single Rate & Dedicated Circuit within Embedded Network	Yes		2.0495	2.0495													
NGT13	6 & 9	Small Flexible Single Rate & Dedicated Circuit	Yes		2.0495														
NEE14	1 & 10	Small Single Rate & Dedicated Circuit with Afternoon Boost	Yes		2.0495	2.0495													
NEN14	1 & 10	Small Single Rate & Dedicated Circuit with Afternoon Boost within Embedded Network	Yes		2.0495	2.0495													
NGT14	6 & 10	Small Flexible Single Rate & Dedicated Circuit with Afternoon Boost	Yes		2.0495														
NEE15	1 & 11	Small Single Rate & Dedicated Circuit 8:00 to 8:00	Yes		2.0495	2.0495													
NEN15	1 & 11	Small Single Rate & Dedicated Circuit 8:00 to 8:00 within Embedded Network	Yes		2.0495	2.0495													
NGT15	6 & 11	Small Flexible Single Rate & Dedicated Circuit 8:00 to 8:00	Yes		2.0495														
NEE20	3	Small Two Rate	No				2.0495												
NEN20	3	Small Two Rate within Embedded Network	No				2.0495												
NSP20	7	Small Interval Meter Time of Use	No						2.0495	2.0495	2.0495								
NEE23	3	Small Two Rate Solar Installation Standard Feed In Pre December 2012	Yes				2.0495												
NEE26	3	Small Two Rate Solar Installation Standard Feed In Post January 2013	No				2.0495												
SUN23	3	Small Two Rate Solar Installation Premium Feed In	Yes				2.0495												
NSP23	7	Small Interval Meter Time of Use Solar Installation Standard Feed In	No						2.0495	2.0495	2.0495								
SSP23	7	Small Interval Meter Time of Use Solar Installation Premium Feed In	Yes						2.0495	2.0495	2.0495								
NEE24	4	Small Two Rate 8:00 to 8:00	No				2.0495												
NGT26	8	Small Flexible	No		2.0495	2.0495													
NGT23	8 & 9	Small Flexible & Dedicated Circuit	Yes		2.0495	2.0495		2.0495											
NGT24	8 & 10	Small Flexible & Dedicated Circuit with Afternoon Boost	Yes		2.0495	2.0495		2.0495											
NGT25	8 & 11	Small Flexible & Dedicated Circuit 8:00 to 8:00	Yes		2.0495	2.0495		2.0495											
NEE30	9	Small Dedicated Circuit	Yes																
NSP30	9	Small Interval Dedicated Circuit	Yes																
NEE31	10	Small Dedicated Circuit with Afternoon Boost	Yes																
NSP31	10	Small Interval Meter Dedicated Circuit with Afternoon Boost	Yes																
NEE32	11	Small Dedicated Circuit 8:00 to 8:00	Yes																
NSP32	11	Small Interval Meter Dedicated Circuit 8:00 to 8:00	Yes																

Notes

1. To be read in conjunction with section 10.5 Tariff structure and charging parameters, and section 10.6 Minimum metering requirements.
2. New entrants cannot be assigned to a Closed to New Entrants tariff. An existing site may be allowed to be assigned to a closed tariff where the existing tariff has the same meter requirements and tariff structure as the tariff they are moving to.
3. Prices in Ex GST.



Schedule of Transmission Use of System Tariffs

Effective 1 January 2020
NOTE: ALL PRICES EXCLUSIVE OF GST



Tariff Code	Tariff Structure ¹	Description	Closed to New Entrants ²	Standing Charge \$/Year	Block 1 c/kWh	Block 2 c/kWh	Peak c/kWh	Shoulder All Year c/kWh	Summer Peak c/kWh	Summer Shoulder c/kWh	Winter Peak c/kWh	Off Peak c/kWh	Dedicated Circuit c/kWh	Summer Export c/kWh	Feed In Rates c/kWh	Capacity \$/kVA/Year	Critical Peak Demand \$/kVA/Year	Monthly Peak kW Demand \$/kW/Mth	Monthly Off Peak kW Demand \$/kW/Mth
Business																			
NEE12	1	Small Single Rate	No		2.0495	2.0495													
NASN12	15	Small Business Single Rate	No		2.0495	2.0495													
NASN12P	15	Small Business Single Rate Premium Feed In	Yes		2.0495	2.0495													
NASN12S	15	Small Business Single Rate Standard Feed In	No		2.0495	2.0495													
NASN19	15	Business >40MWh Single Rate	No		2.0495	2.0495													
NEN12	1	Small Single Rate within Embedded Network	No		2.0495	2.0495													
NEE16	1 & 9	Small Single Rate & Dedicated Circuit	Yes		2.0495	2.0495							0.5716						
NEN16	1 & 9	Small Single Rate & Dedicated Circuit within Embedded Network	Yes		2.0495	2.0495													
NEE17	1 & 10	Small Single Rate & Dedicated Circuit with Afternoon Boost	Yes		2.0495	2.0495													
NEN17	1 & 10	Small Single Rate & Dedicated Circuit with Afternoon Boost within Embedded Network	Yes		2.0495	2.0495													
NEE18	1 & 11	Small Single Rate & Dedicated Circuit 8:00 to 8:00	Yes		2.0495	2.0495													
NEN18	1 & 11	Small Single Rate & Dedicated Circuit 8:00 to 8:00 within Embedded Network	Yes		2.0495	2.0495													
NEE21	3	Small Two Rate	No				2.0495						0.5716						
NEN21	3	Small Two Rate within Embedded Network	No				2.0495						0.5716						
NSP21	7	Small Interval Meter Time of Use	No						2.0495	2.0495	2.0495		0.5716						
NASN21	2	Business >40MWh Two Rate	No				2.0495						0.5716						
NASN2P	2	Business >40MWh Two Rate Premium Feed In	Yes				2.0495						0.5716						
NASN2S	2	Business >40MWh Two Rate Standard Feed In	No				2.0495						0.5716						
SUN21	3	Small Two Rate Solar Installation Premium Feed In	Yes				2.0495						0.5716						
SSP21	7	Small Interval Meter Time of Use Solar Installation Premium Feed In	Yes						2.0495	2.0495	2.0495		0.5716						
SSP27	7	Small Interval Meter Time of Use Solar Installation Standard Feed In	No						2.0495	2.0495	2.0495		0.5716						
NEE27	3	Small Two Rate Solar Installation Standard Feed In Pre December 2012	Yes				2.0495						0.5716						
NEE28	3	Small Two Rate Solar Installation Standard Feed In Post January 2013	No				2.0495						0.5716						
NSP27	7	Small Interval Meter Low Peak Time of Use	No						2.0495	2.0495	2.0495		0.5716						
NEE25	4	Small Two Rate 8:00 to 8:00	No				2.0495						0.5716						
NEE40	6	Medium Single Rate	Yes		2.0495														
NEE41	6 & 9	Medium Single Rate & Dedicated Circuit	Yes		2.0495								0.5716						
NEE42	6 & 10	Medium Single Rate & Dedicated Circuit with Afternoon Boost	Yes		2.0495								0.5716						
NEE43	6 & 11	Medium Single Rate & Dedicated Circuit 8:00 to 8:00	Yes		2.0495								0.5716						
NEE51	3	Medium Two Rate	Yes				2.0495						0.5716						
NEE52	3	Medium Unmetered	No				2.0495						0.5716						
NEE55	12	Medium Snowfields	No				2.0495						0.5716						
NSP55	7	Medium Interval Meter Time of Use Snowfields	No						2.0495	2.0495	2.0495		0.5716						
NSP56	13	Medium Critical Peak Demand 160MWh to 400MWh	No				2.0495	2.0495					0.5716						
NEN56	13	Medium Critical Peak Demand 160MWh to 400MWh within Embedded Network	No				2.0495	2.0495					0.5716						
NEE60	5	Medium Seven Day Two Rate	Yes				2.0495						0.5716						
NEE74	3	Large Two Rate	Yes				2.0495						0.5716						
NSP75	13	Large Critical Peak Demand 400MWh to 750MWh	No				2.0495	2.0495					0.5716						
NSP76	13	Large Critical Peak Demand 750MWh to 2000MWh	No				2.0495	2.0495					0.5716						
NSP77	13	Large Critical Peak Demand 2000MWh to 4000MWh	No				2.0495	2.0495					0.5716						
NSP78	13	Large Critical Peak Demand over 4000MWh	No				2.0495	2.0495					0.5716						
NSP81	14	High Voltage Critical Peak Demand	No				2.0495						0.5716						
NSP82	13	High Voltage Critical Peak Demand Traction	No				2.0495	2.0495					0.5716						
NSP83	13	High Voltage Critical Peak Demand low energy use	No				2.0495	2.0495					0.5716						
NSP91	14	Sub transmission Critical Peak Demand <25MVA & <20KM from TS	No				2.0495						0.5716						
NSP94	14	Sub transmission Critical Peak Demand >25MVA & <20KM from TS	No				2.0495						0.5716						
NSP95	14	Sub transmission Critical Peak Demand <25MVA & >20KM from TS	No				2.0495						0.5716						

AusNet Services Electricity Pty Ltd ABN 91 064 651 118
 A subsidiary of AusNet Services Networks (Distribution) Pty Ltd
 Level 31, 2 Southbank Blvd, Southbank, Victoria, 3006 Australia Locked Bag 14051 Melbourne City Mail Centre Victoria 8001 Australia
 Tel 61 3 9695 6000 Fax 6 13 9695 6666 www.ausnetservices.com.au



Schedule of Jurisdictional Use of System Tariffs

Effective 1 January 2020
NOTE: ALL PRICES EXCLUSIVE OF GST



Tariff Code	Tariff Structure	Description	Closed to New Entrants	Standing Charge \$/Year	Block 1 c/kWh	Block 2 c/kWh	Peak c/kWh	Shoulder All Year c/kWh	Summer Peak c/kWh	Summer Shoulder c/kWh	Winter Peak c/kWh	Off Peak c/kWh	Dedicated Circuit c/kWh	Summer Export c/kWh	Feed In Rates c/kWh	Capacity \$/kVA/Year	Critical Peak Demand \$/kVA/Year	Monthly Peak kW Demand \$/kW/Mth	Monthly Off Peak kW Demand \$/kW/Mth
Residential																			
NEE11	1	Small Single Rate	No		0.5555	0.5555													
NASN11	15	Small Residential Single Rate	No		0.5555	0.5555													
NASN11P	15	Small Residential Single Rate Premium Feed In	Yes		0.5555	0.5555													
NASN11S	15	Small Residential Single Rate Standard Feed In	No		0.5555	0.5555													
NEN11	1	Small Single Rate within Embedded Network	No		0.5555	0.5555													
NGT11	6	Small Flexible Single Rate	No		0.5555														
NEE13	1 & 9	Small Single Rate & Dedicated Circuit	Yes		0.5555	0.5555							0.4663						
NEN13	1 & 9	Small Single Rate & Dedicated Circuit within Embedded Network	Yes		0.5555	0.5555							0.4663						
NGT13	6 & 9	Small Flexible Single Rate & Dedicated Circuit	Yes		0.5555									0.4663					
NEE14	1 & 10	Small Single Rate & Dedicated Circuit with Afternoon Boost	Yes		0.5555	0.5555								0.4663					
NEN14	1 & 10	Small Single Rate & Dedicated Circuit with Afternoon Boost within Embedded Network	Yes		0.5555	0.5555								0.4663					
NGT14	6 & 10	Small Flexible Single Rate & Dedicated Circuit with Afternoon Boost	Yes		0.5555									0.4663					
NEE15	1 & 11	Small Single Rate & Dedicated Circuit 8:00 to 8:00	Yes		0.5555	0.5555								0.4663					
NEN15	1 & 11	Small Single Rate & Dedicated Circuit 8:00 to 8:00 within Embedded Network	Yes		0.5555	0.5555								0.4663					
NGT15	6 & 11	Small Flexible Single Rate & Dedicated Circuit 8:00 to 8:00	Yes		0.5555									0.4663					
NEE20	3	Small Two Rate	No				0.5555						0.4663						
NEN20	3	Small Two Rate within Embedded Network	No				0.5555						0.4663						
NSP20	7	Small Interval Meter Time of Use	No						0.5555	0.5555	0.5555	0.4663							
NEE23	3	Small Two Rate Solar Installation Standard Feed In Pre December 2012	Yes				0.5555						0.4663						
NEE26	3	Small Two Rate Solar Installation Standard Feed In Post January 2013	No				0.5555						0.4663						
SUN23	3	Small Two Rate Solar Installation Premium Feed In	Yes				0.5555						0.4663						
NSP23	7	Small Interval Meter Time of Use Solar Installation Standard Feed In	No						0.5555	0.5555	0.5555	0.4663							
SSP23	7	Small Interval Meter Time of Use Solar Installation Premium Feed In	Yes						0.5555	0.5555	0.5555	0.4663							
NEE24	4	Small Two Rate 8:00 to 8:00	No				0.5555						0.4663						
NGT26	8	Small Flexible	No		0.5555	0.5555		0.5555					0.4663						
NGT23	8 & 9	Small Flexible & Dedicated Circuit	Yes		0.5555	0.5555		0.5555					0.4663	0.4663					
NGT24	8 & 10	Small Flexible & Dedicated Circuit with Afternoon Boost	Yes		0.5555	0.5555		0.5555					0.4663	0.4663					
NGT25	8 & 11	Small Flexible & Dedicated Circuit 8:00 to 8:00	Yes		0.5555	0.5555		0.5555					0.4663	0.4663					
NEE30	9	Small Dedicated Circuit	Yes											0.4663					
NSP30	9	Small Interval Dedicated Circuit	Yes											0.4663					
NEE31	10	Small Dedicated Circuit with Afternoon Boost	Yes											0.4663					
NSP31	10	Small Interval Meter Dedicated Circuit with Afternoon Boost	Yes											0.4663					
NEE32	11	Small Dedicated Circuit 8:00 to 8:00	Yes											0.4663					
NSP32	11	Small Interval Meter Dedicated Circuit 8:00 to 8:00	Yes											0.4663					

Notes

- To be read in conjunction with section 10.5 Tariff structure and charging parameters, and section 10.6 Minimum metering requirements.
- New entrants cannot be assigned to a Closed to New Entrants tariff. An existing site may be allowed to be assigned to a closed tariff where the existing tariff has the same meter requirements and tariff structure as the tariff they are moving to.
- Prices in Ex GST.

Schedule of Jurisdictional Use of System Tariffs

Effective 1 January 2020
NOTE: ALL PRICES EXCLUSIVE OF GST



Tariff Code	Tariff Structure	Description	Closed to New Entrants	Standing Charge \$/Year	Block 1 c/kWh	Block 2 c/kWh	Peak c/kWh	Shoulder All Year c/kWh	Summer Peak c/kWh	Summer Shoulder c/kWh	Winter Peak c/kWh	Off Peak c/kWh	Dedicated Circuit c/kWh	Summer Export c/kWh	Feed In Rates c/kWh	Capacity \$/kVA/Year	Critical Peak Demand \$/kVA/Year	Monthly Peak kW Demand \$/kW/Mth	Monthly Off Peak kW Demand \$/kW/Mth
Business																			
NEE12	1	Small Single Rate	No		0.5555	0.5555													
NASN12	15	Small Business Single Rate	No		0.5555	0.5555													
NASN12P	15	Small Business Single Rate Premium Feed In	Yes		0.5555	0.5555													
NASN12S	15	Small Business Single Rate Standard Feed In	No		0.5555	0.5555													
NASN19	15	Business >40MWh Single Rate	No		0.5555	0.5555													
NEN12	1	Small Single Rate within Embedded Network	No		0.5555	0.5555													
NEE16	1 & 9	Small Single Rate & Dedicated Circuit	Yes		0.5555	0.5555							0.4663						
NEN16	1 & 9	Small Single Rate & Dedicated Circuit within Embedded Network	Yes		0.5555	0.5555													0.4663
NEE17	1 & 10	Small Single Rate & Dedicated Circuit with Afternoon Boost	Yes		0.5555	0.5555													0.4663
NEN17	1 & 10	Small Single Rate & Dedicated Circuit with Afternoon Boost within Embedded Network	Yes		0.5555	0.5555													0.4663
NEE18	1 & 11	Small Single Rate & Dedicated Circuit 8:00 to 8:00	Yes		0.5555	0.5555													0.4663
NEN18	1 & 11	Small Single Rate & Dedicated Circuit 8:00 to 8:00 within Embedded Network	Yes		0.5555	0.5555													0.4663
NEE21	3	Small Two Rate	No				0.5555						0.4663						
NEN21	3	Small Two Rate within Embedded Network	No				0.5555												0.4663
NSP21	7	Small Interval Meter Time of Use	No						0.5555	0.5555	0.5555		0.4663						
NASN21	2	Business >40MWh Two Rate	No				0.5555						0.4663						
NASN2P	2	Business >40MWh Two Rate Premium Feed In	Yes				0.5555						0.4663						
NASN2S	2	Business >40MWh Two Rate Standard Feed In	No				0.5555						0.4663						
SUN21	3	Small Two Rate Solar Installation Premium Feed In	Yes				0.5555						0.4663						
SSP21	7	Small Interval Meter Time of Use Solar Installation Premium Feed In	Yes						0.5555	0.5555	0.5555		0.4663						
SSP27	7	Small Interval Meter Time of Use Solar Installation Standard Feed In	No						0.5555	0.5555	0.5555		0.4663						
NEE27	3	Small Two Rate Solar Installation Standard Feed In Pre December 2012	Yes				0.5555						0.4663						
NEE28	3	Small Two Rate Solar Installation Standard Feed In Post January 2013	No				0.5555						0.4663						
NSP27	7	Small Interval Meter Low Peak Time of Use	No						0.5555	0.5555	0.5555		0.4663						
NEE25	4	Small Two Rate 8:00 to 8:00	No				0.5555						0.4663						
NEE40	6	Medium Single Rate	Yes		0.5555														
NEE41	6 & 9	Medium Single Rate & Dedicated Circuit	Yes		0.5555								0.4663						
NEE42	6 & 10	Medium Single Rate & Dedicated Circuit with Afternoon Boost	Yes		0.5555								0.4663						
NEE43	6 & 11	Medium Single Rate & Dedicated Circuit 8:00 to 8:00	Yes		0.5555								0.4663						
NEE51	3	Medium Two Rate	Yes				0.5555						0.4663						
NEE52	3	Medium Unmetered	No				0.5555						0.4663						
NEE55	12	Medium Snowfields	No	224.00															
NSP55	7	Medium Interval Meter Time of Use Snowfields	No	224.00															
NSP56	13	Medium Critical Peak Demand 160MWh to 400MWh	No	261.00															
NEN56	13	Medium Critical Peak Demand 160MWh to 400MWh within Embedded Network	No	261.00															
NEE60	5	Medium Seven Day Two Rate	Yes	224.00															
NEE74	3	Large Two Rate	Yes	261.00															
NSP75	13	Large Critical Peak Demand 400MWh to 750MWh	No	261.00															
NSP76	13	Large Critical Peak Demand 750MWh to 2000MWh	No	261.00															
NSP77	13	Large Critical Peak Demand 2000MWh to 4000MWh	No	261.00															
NSP78	13	Large Critical Peak Demand over 4000MWh	No	261.00															
NSP81	14	High Voltage Critical Peak Demand	No	261.00															
NSP82	13	High Voltage Critical Peak Demand Traction	No	261.00															
NSP83	13	High Voltage Critical Peak Demand low energy use	No	261.00															
NSP91	14	Sub transmission Critical Peak Demand <25MVA & <20KM from TS	No	261.00															
NSP94	14	Sub transmission Critical Peak Demand >25MVA & <20KM from TS	No	261.00															
NSP95	14	Sub transmission Critical Peak Demand <25MVA & >20KM from TS	No	261.00															

Tariff Structure

Effective 1 January 2020
NOTE: ALL PRICES EXCLUSIVE OF GST



Tariff structure	Tariff component	Unit	Charging parameter
1	Standing charge Inclining block 1 Inclining block 2	\$/yr c/kWh c/kWh	1020 kWh/qtr kWh balance
2	Standing charge Peak Off peak Demand	\$/yr c/kWh c/kWh \$/kW/mth	7:00 AM to 11:00 PM Monday to Friday All other times 3:00PM to 9:00PM ADST Monday to Friday. Peak season - December to March, Off Peak - All other months
3	Standing charge Peak Off peak	\$/yr c/kWh c/kWh	7:00 AM to 11:00 PM Monday to Friday All other times
4	Standing charge Peak Off peak	\$/yr c/kWh c/kWh	8:00 AM to 8:00 PM Monday to Friday All other times
5	Standing charge Peak Off peak	\$/yr c/kWh c/kWh	7:00 AM to 11:00 PM Monday to Sunday All other times
6	Standing charge Energy	\$/yr c/kWh	All energy
7	Standing charge Summer peak Summer shoulder Winter peak Off peak	\$/yr c/kWh c/kWh c/kWh c/kWh	2:00 PM to 6:00 PM Monday to Friday, December to March 12:00 PM to 2:00 PM and 6:00 PM to 8:00 PM Monday to Friday, December to March 4:00 PM to 8:00 PM Monday to Friday, June to August All other times
8	Standing charge Summer Peak Shoulder Off peak	\$/yr c/kWh c/kWh c/kWh	2:00 AM AEST First Sunday in October to 2:00 AM AEST First Sunday in April 3:00 PM to 9:00 PM Monday to Friday 7:00 AM to 3:00 PM and 9:00 PM to 10:00 PM Monday to Friday, 7:00 AM to 10:00 PM Saturday to Sunday All other times AEDT in summer, AEST all other times
9	Standing charge Off peak	\$/yr c/kWh	11:00 PM to 7:00 AM Monday to Sunday
10	Standing charge Off peak	\$/yr c/kWh	11:00 PM to 7:00 AM and 1:00 PM to 4:00 PM Monday to Sunday
11	Standing charge Off peak	\$/yr c/kWh	6 or 8 Hrs between 8:00 PM to 8:00 AM Monday to Sunday
12	Standing charge Peak Off peak	\$/yr c/kWh c/kWh	1 May to 30 September All other times
13	Standing charge Peak Shoulder Off peak Capacity Critical peak demand	\$/yr c/kWh c/kWh c/kWh \$/kVA/yr \$/kVA/yr	7:00 AM to 10:00 AM and 4:00 PM to 11:00 PM Monday to Friday 10:00 AM to 4:00 PM Monday to Friday All other times Fixed value Average of five recorded between 3:00 PM and 7:00 PM ADST on five days nominated in advance
14	Standing charge Peak Off peak Capacity Critical peak demand	\$/yr c/kWh c/kWh \$/kVA/yr \$/kVA/yr	7:00 AM to 11:00 PM Monday to Friday All other times Fixed value Average of five recorded between 3:00 PM and 7:00 PM ADST on five days nominated in advance
15	Standing charge Inclining block 1 Inclining block 2 Monthly demand	\$/yr c/kWh c/kWh \$/kW/mth	1020 kWh/qtr kWh balance 3:00 PM to 9:00 PM ADST Monday to Friday. Peak season - December to March, Off Peak Season - All other months